

TERRACE PARASOLS



EOLO PURETI

EL PARASOL QUE PURIFICA EL AIRE
O GUARDA-SOL QUE PURIFICA O AR
THE PARASOL THAT PURIFIES THE AIR
LE PARASOL QUI PURIFIE L'AIR



reddot winner 2020



EOLO - white - white

EOLO



EOLO - taupe - sand
LAGO - taupe, white
ROUND - taupe





FLEXO

RIO



RIO - anthracite-anthracite
FIX RIO - anthracite

FORMENTERA



FORMENTERA - white - sand
SLAB - white
MONACO - white-oak
DOCK - white

JAVA





SOMBRANO® S⁺

The art of engineering for 360° shade



SOMBRANO® S⁺

The art of engineering for 360° shade

Glatz
2022 Season

Glatz is known for its ideas. With the Sombrano S⁺, we have come up with something special: It is the first free-arm shade that opens automatically synchronously and aligns itself horizontally when the crank is turned.

To make the best use of the space under the parasol, we attached the mast to the side of the parasol roof. You can therefore use the space underneath the Sombrano S⁺ freely. Thanks to the tilting rod, the canopy can be tilted up to 54° on both sides. It can be turned easily 360° on its axis by operating the turnable ball-bearing base.

					
Ø 350 cm	45 km/h	300 × 300 cm	45 km/h	400 × 300 cm	35 km/h
Ø 400 cm	35 km/h	350 × 350 cm	35 km/h		

Product details

How to operate	The Sombrano S ⁺ can be opened and closed with the hand crank. The crank mechanism is self-locking. By using the tilting rod, the parasol roof can be tilted up to 54° on both sides in steps of 18°. Thanks to the turnable ball-bearing base, the Sombrano S ⁺ can also be rotated 360°.
Frame colour	Natural anodised or anthracite powder-coated aluminium
Canopy *	Material class 5: Polyacrylic, UVprotection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce
Materials / technology	The aluminium supporting elements and frame of the parasol roof are available in natural anodised or powder-coated anthracite. The crank housing, carriage, supporting arm lead and head are made from die-cast aluminium, and the screws and rivets are made of stainless steel. The canopy is replaceable and self-tautening thanks to the flexible strut ends.
Electrical accessories	Osyron Spot LED with integrated battery pack
Protective cover	Included in delivery
* This model is also available in material class 2: Polyester, UV protection > 98 % Frame: Powder-coated aluminium anthracite	

> 98 %
UV
Protection



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

SOMBRANO®,
Int. Patents reg. © Int. Design reg.



Area of use



Type of fastening





Colour: 527 Urban Chrome

ALU-SMART

Small and adaptable



ALU-SMART

Small and adaptable

Glatz
2022 Season

How long does it take until a parasol is considered a classic? We don't think it's a question of time, but a question of clever ideas. The Alu-Smart certainly lives up to its name. It fits perfectly onto angled or narrow balconies; the parasol roof can be opened and closed effortlessly using the slim, ergonomic runner.

Its design, with its elegantly curved fabric edge, harmonises with both old and new buildings and has a harmonious flair. The stable aluminium frame subtly reflects the colours of its surroundings. It is also ideal for patios and as a complement to all of the giant parasol from Glatz.

					
Ø 200 cm	75 km/h	200 × 200 cm	50 km/h	210 × 150 cm	55 km/h
Ø 220 cm	65 km/h	240 × 240 cm	40 km/h	250 × 200 cm	40 km/h
Ø 250 cm	50 km/h				
Ø 300 cm	35 km/h				

Product details

How to operate	The Alu-Smart can be opened by pushing the runner to the top until it locks into place. You can tilt the parasol roof using the tilter. The Alu-Smart is also height-adjustable.
Frame colour	Natural anodised aluminium
Canopy *	Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce
Materials / technology	The frame has a profiled pole as well as stepless height adjustment and a tilter. The canopy is replaceable and self-tautening thanks to flexible strut ends.
Electrical accessories	Osyron Spot LED with integrated battery pack
Protective cover	Can be ordered as an optional extra

* This model is also available in material class 2: Polyester, UV protection > 98 %



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

ALU - SMART,
Int. Patents reg. © Int. Design reg.



Area of use




Type of fastening



ALU-TWIST

Clever and convenient operation



Colour: 656 Oleander



ALU-TWIST

Clever and convenient operation

What was there first, form or function? With the Alu-Twist, our unequivocal answer is both. After all, this centre pole parasol is the perfect combination of aesthetics and comfort. The parasol roof can be opened easily by turning the crank, and tilted with the stepless turning mechanism.

To ensure a long lifespan, we only use the best materials. The frame and struts are made from natural anodised aluminium. The Alu-Twist is perfect for angled outdoor areas, your balcony or as an addition to a Glatz giant parasol. Wherever it is positioned – sufficient shade and a touch of timeless modernity are guaranteed.

Ø 270 cm	55 km/h	240 × 240 cm	45 km/h	210 × 150 cm	55 km/h
Ø 300 cm	50 km/h			250 × 200 cm	45 km/h
Ø 330 cm	45 km/h				

Product details


How to operate	You can open and close the Alu-Twist easily with the crank. The parasol roof can be tilted on a stepless basis on the crank case with the "TWIST" turning mechanism.
Frame colour	Natural anodised aluminium
Canopy *	Material class 5: Polyacrylic, UV protection > 98 % Material class 4: Polyester, UV protection > 98 % Only available without a flounce
Materials / technology	Frame with a profiled pole, crank drive and the "TWIST" turning mechanism for stepless tilting. The canopy is replaceable and self-tautening thanks to flexible strut ends.
Electrical accessories	Osyron Spot LED with integrated battery pack
Protective cover	Can be ordered as an optional extra

* This model is also available in material class 2: Polyester, UV protection > 98 %



Wind speeds apply in the case of horizontally set sunshade parts and fixed anchoring in the ground.

ALU-TWIST,
© Int. Design reg.



Area of use



Type of fastening



Swiss
Design

Glatz
2022 Season



Detalles Técnicos

Detalhes Técnicos

Technical Details

Détails Techniques

apilable - empilhável - stackable - empilable



uso interior - indoor use - pour l'intérieur



protección UV - proteção UV - UV protection



uso exterior - uso ao ar livre - outdoor use - utilisation en extérieur



abatible - rebatível - folding - pliante



apilable - empilhável - stackable - empilable



reguladores de altura - adjustable leveling feet - vérins réglables



desenfundable - removível - removable - déhoussable



reciclable - reciclável - recyclable



resistente al moho - resistente ao bolor - mold resistant - résistant à la moisissure




muy fácil de lavar y desinfectar - muito fácil de lavar e desinfetar - very easy to clean up and disinfect - très facile à laver et à désinfecter



fabricado en la Unión Europea - feito na União Europeia - made in the European Union - fabriqué dans l'union européenne



EOLO PURETI 2,5X2,5



2,18 m
2,66 m
tube ø 48 mm
250x250 cm
4 ribs



112010
white
SIAO10C2501720P




101010
taupe
SIAO10C2501820P



110010
anthracite
SIAO10C2501620P

EOLO PURETI 2X2



2,06 m
2,54 m
tube ø 48 mm
200x200 cm
4 ribs



112010
white
SPAO10C2001721P



101010
taupe
SPAO10C2001821P



110010
anthracite
SPAO10C2001621P



Parasol de aluminio lacado con 4 varillas (20x14mm.). Apertura tipo push-up con sistema abre/cierra y pulsador de bloqueo. Sin volante y con fugavientos.
Guarda-sol em alumínio lacado com 4 vareta (20x14mm.). Abertura tipo push-up com sistema abre/fecha e botão de bloqueio. Sem bambinela e com fugavientos.
Lacquered aluminum parasol with 4 ribs (20x14mm.). Easy push-up open system with an open-lock handle. Without valance and with airvent.
Parasol aluminium laqué avec 4 balais (20x14mm.). Ouverture push-up avec système d'ouverture / fermeture et verrouillage. Sans volant et avec soufflet.

Registered design No. 007003710 - Utility model No. 201931894

Bases - Pieds: - Pag. 182-183
CUBE - FIX - FAST CLICK - ROUND - MOULD - BOND - FLAT - CANTO

OLEFIN FIBER 180g
EASY TO RECYCLE
pureti + INFO
QR code
UE



Parasol descontaminante
Guarda-sol descontaminante
Air purifying parasol
Parasol décontaminant
ezpeleta.com/pureti




Al igual que los árboles, el tejido de este parasol descontamina el aire de las ciudades, neutraliza los gases de los motores y otras sustancias nocivas. Incorpora una nanotecnología que, en contacto con la luz solar, convierte las sustancias contaminantes del aire en sales inertes.


Tal como as árvores, o tecido deste guarda-sol descontamina o ar das cidades, neutraliza os gases dos motores e outras substâncias nocivas. Tem incorporada uma nanotecnologia que, em contacto com a luz solar, converte as substâncias contaminantes do ar em sais inertes.

Much like trees, the fabric of this umbrella reduces city pollution, neutralizing engine gases and other harmful substances. Its nanotechnology, upon contact with sunlight, turns air pollutants into inert salts.

Tout comme les arbres, le tissu de ce parasol décontamine l'air des villes et neutralise les gaz d'échappement des moteurs et d'autres substances nocives. Il intègre une nanotechnologie qui, en contact avec la lumière du soleil, transforme les substances contaminantes de l'air en sels inertes.




EOLO WHITE 2,5X2,5



112010 white	103010 sand	101010 taupe	110010 anthracite	102010 black
10 9 010 moka	117010 navy	115010 taupe stripe	116010 anthracite stripe	

SIAO10C2501740P


EOLO WHITE 2,5X2,5



103010 sand	101010 taupe	110010 anthracite	102010 black	10 9 010 moka
117010 navy	115010 taupe stripe	116010 anthracite stripe		

SIAO10C2501721P

EOLO TAUPE 2,5X2,5



112010 white	103010 sand	101010 taupe	110010 anthracite	102010 black
10 9 010 moka	117010 navy	115010 taupe stripe	116010 anthracite stripe	

SIAO10C2501840P

EOLO TAUPE 2,5X2,5



112010 white	103010 sand	110010 anthracite	102010 black	10 9 010 moka
117010 navy	115010 taupe stripe	116010 anthracite stripe		

SIAO10C2501821P

Parasol de aluminio lacado con 4 varillas (20x14mm). Apertura tipo push-up con sistema abre/cierra y pulsador de bloqueo. Con o sin volante y con fugavientos.
Guarda-sol em alumínio lacado com 4 varetaş(20x14mm)
Abertura tipo push-up com sistema abre/fecha e botão de bloqueio. Com ou sem bambinela e com fugaventos.
Lacquered aluminum parasol with 4 ribs (20x14mm). Easy push-up open system with an open-lock handle. With or without valance and with airvent.
Parasol aluminium laqué avec 4 balaineş(20x14mm) Ouverture push-up avec système d'ouverture / fermeture et verrouillage. Avec ou sans volant et avec soufflet.

Registered design No. 007003710 - Utility model No. 201931894


Bases - Pieds: - Pag. 182-183
CUBE - FIX - FAST CLICK - ROUND - MOULD - BOND - FLAT - CANTO



Handle for open, close and lock.



EOLO ANTHRACITE 2,5X2,5





SIAO10C2501640P

EOLO ANTHRACITE 2,5X2,5





SIAO10C2501621P

EOLO WHITE 2X2



SPA010C2001740P

EOLO WHITE 2X2



SPA010C2001720P

Parasol de aluminio lacado con 4 varillas (20x14mm). Apertura tipo push-up con sistema abre/cierra y pulsador de bloqueo. Con o sin volante y con fugavientos.
Guarda-sol em alumínio lacado com 4 vareta (20x14mm). Abertura tipo push-up com sistema abre/fecha e botão de bloqueio. Com ou sem bambinela e com fugavientos.
Lacquered aluminum parasol with 4 ribs (20x14mm). Easy push-up open system with an open-lock handle. With or without valance and with airvent.
Parasol aluminium laqué avec 4 balaine (20x14mm). Ouverture push-up avec système d'ouverture / fermeture et verrouillage. Avec ou sans volant et avec soufflet.

Registered design No. 007003710 - Utility model No. 201931894

Bases - Pieds: - Pag. 182-183
CUBE - FIX - FAST CLICK - ROUND - MOULD - BOND - FLAT - CANTO





Handle for open, close and lock.

EOLO TAUPE 2X2




SPAO10C2001840P

EOLO TAUPE 2X2



SPAO10C2001820P

EOLO ANTHRACITE 2X2



SPAO10C2001640P

EOLO ANTHRACITE 2X2



SPAO10C2001620P





Parasol de aluminio lacado con 4 varillas (20x14mm). Apertura tipo push-up con sistema abre/cierra y pulsador de bloqueo. Con o sin volante y con fugavientos.
Guarda-sol em alumínio lacado com 4 vareta(20x14mm)
Abertura tipo push-up com sistema abre/fecha e botão de bloqueio. Com ou sem bambinela e com fugaventos.
Lacquered aluminum parasol with 4 ribs (20x14mm). Easy push-up open system with an open-lock handle. With or without valance and with airvent.
Parasol aluminium laqué avec 4 balaine(20x14mm) Ouverture push-up avec système d'ouverture / fermeture et verrouillage. Avec ou sans volant et avec soufflet.

Registered design No. 007003710 - Utility model No. 201931894



Bases - Pieds: - Pag. 182-183
CUBE - FIX - FAST CLICK - ROUND - MOULD - BOND - FLAT - CANTO





FLEXO WHITE 3X3



FLEXO DARK TAUPE 3X3



FLEXO ANTHRACITE 3X3



Sistema estabilizador. Stabilizer system.
Système stabilisateur.

SGAO10C3005021P

SGAO10C3005022P

SGAO10C3005020P





Parasol de aluminio 3x3 m de mastil lateral con inclinación. 8 varillas (17x25 mm). Giratorio 360°. Sistema estabilizador. Sin volante y con fugavientos.
Guarda-sol em alumínio 3x3 m. de haste lateral com inclinação. 8 varetas (17x25 mm). Giratório 360°. Sistema estabilizador. Sem bambelina e com fugaventos.
3x3 m. aluminium lateral pole parasol with tilt system. 8 ribs (17x25 mm). 360° rotatory system. Stabilizer system. Without valance and with airvent.
Parasol mât 3x3 m. latéral avec inclinaison. 8 baleines (17x25 mm). Rotatif 360°. Système stabilisateur. Sans volant et avec soufflet.




(Cruceta incluida / cruzeta incluída / cross included / croix incluse)

Bases - Pieds: - Pag. 182-183
SLABX4 - FLEXO + SLABX6



360°


RIO WHITE 4X4




SGAO20C4000240P




RIO WHITE 4X4




SGAO20C4000220P




RIO ANTHRACITE 4X4




SGAO20C4000440P



RIO ANTHRACITE 4X4



SGAO20C4000420P



Exchangeable ribs.

Parasol de aluminio lacado para terrazas grandes 4x4 m. 8 varillas intercambiables (20x35x1,5 mm). Apertura asistida manivela. Telescópico. Con o sin volante y con fugavientos. Guarda-sol em alumínio lacado para esplanadas grandes 4x4 m. 8 varetas intercambiáveis (20x35x1,5 mm). Abertura assistida manivela. Telescópico. Com ou sem bambinela e com fugaventos. Lacquered 4x4 m. aluminium parasol for big terraces. 8 exchangeable ribs (20x35x1,5 mm). Crank- assisted opening system. Telescopic. With or without valance and with airvent. Parasol aluminium laqué pour grande terrasse 4x4 m. 8 baleines interchangeables (20x35x1,5 mm). Ouverture assistée manivelle. Télescopique. Avec ou sans volant et avec soufflet.




Bases - Pieds: - Pag. 182-183
CROSS RIO + SLABX4 - FIX RIO - FAST CLICK RIO




Tejidos disponibles - Tecidos disponíveis - Available fabrics - Tissus disponibles - Pag. 181

FORMENTERA WHITE 3X3




SGAO10C3000220P

FORMENTERA ANTHRACITE 3X3





SGAO10C3000520P

FORMENTERA WHITE 3,5X3,5



SGAO10C3500120P

FORMENTERA ANTHRACITE 3,5X3,5



SGAO10C3500320P



Parasol de aluminio lacado. 8 varillas (30x20 mm). Apertura por poleas. Sin volante y con fugavientos. Guarda-sol em alumínio lacado. 8 varetas (30x20 mm). Abertura por roldanas. Sem bambinela e com fugaventos.


Lacquered aluminium parasol. 8 ribs (30x20 mm). Pulley opening system. Without valance and with airvent. Parasol aluminium laqué. 8 baleines (30x20 mm). Ouverture par poulie. Sans volant et avec soufflet.

*  Opción con faldón también disponible. Consultar. / Opção com bambinela disponível. Consultar/ Option with valance also available. On request / Option avec volant disponible. Sur demande.


Bases - Pieds: - Pag. 182-183
CROSS + SLABX4 (3,5x3,5) - CUBE - FIX - FAST CLICK - BOND (3x3) - FLAT (3x3) - CANTO




RIO WHITE/ANTHRACITE 4X4 WATERPROOF




FORMENTERA WHITE/ANTHRACITE 3,5X3,5 WATERPROOF



FORMENTERA WHITE/ANTHRACITE 3X3 WATERPROOF



CANALON/CALEIRA/GUTTER/GOUTTIÈRES



4x4 - IGAP00C40002
3,5x3,5 - IGAP00C35002
3x3 - IGAP00C30002



Nuevo tejido impermeable. 67% poliéster - 33% PVC. Compatible con todos los parasoles Rio y Formentera con faldón.
Novo tecido impermeável. 67% poliéster - 33% PVC. Compatível com todos os guarda-sois Rio e Formentera com babinela.
New waterproof fabric. 67% polyester - 33% PVC. Compatible with all Rio and Formentera parasols with valance.
Nouveau tissu imperméable. 67% polyester - 33% PVC. Compatible avec tous les parasols Rio et Formentera avec volant.


EN343
Level 3. Highest level of rain protection.



Canalones de unión impermeable. Protege la terraza de la lluvia uniendo dos parasoles. Canalón de PVC, varillas de aluminio y cintas con velcro de ajuste.
Caleiras de união impermeável. Proteja a esplanada da chuva, unindo dois guarda-sóis. Caleiras em PVC, varetas de alumínio e tira de velcro de ajustar.
Gutter of waterproof join. Protects your terrace from the rain by joining two parasols. PVC gutters, aluminium ribs and fastener velcro tape.
Gouttières d ' union imperméables. Protégez la terrasse de la pluie, en assemblant deux parasols. Gouttières en PVC, baleines en aluminium et bande en velcro pour ajuster.



JAVA 2X2



 112010 white	 103010 sand	 101010 taupe	 110010 anthracite	 102010 black
 109010 moka	 117010 navy	 115010 taupe stripe	 116010 anthracite stripe	

SPMO10C2000220P



Parasol de madera de eucalipto barnizada. 8 varillas (17x22mm). Apertura por poleas. Sin volante y con fugavientos. Madera procedentes de fuentes sostenibles. Certificado FSC. Guarda-sol de madeira de eucalipto envernizada. 8 varetas (17x22mm) Abertura por roldanas. Sem bambinela e com fugaventos. Madeira proveniente de fontes reflorestadas. Certificado FSC.

Varnished eucalyptus wood parasol. 8 ribs (17x22mm). Pulley opening system. Without valance and with airvent. Wood from reforested sources. FSC certified.

Parasol bois d'eucalyptus verni. 8 baleines (17x22mm) Ouverture par poulie. Sans volant et avec soufflet. Bois provenant de sources reboisées. Certified FSC.



Bases - Pieds: - Pag. 182-183
CUBE - ROUND - FLAT

JAVA 3X3



 112010 white	 103010 sand	 101010 taupe	 110010 anthracite	 102010 black
 109010 moka	 117010 navy	 115010 taupe stripe	 116010 anthracite stripe	

SGMO10C3000220P



Parasol de madera de eucalipto barnizada. 8 varillas (17x35mm). Apertura por poleas. Sin volante y con fugavientos. Madera procedentes de fuentes sostenibles. Certificado FSC. Guarda-sol de madeira de eucalipto envernizada. 8 varetas (17x 3 5 m) Abertura por roldanas. Sem bambinela e com fugaventos. Madeira proveniente de fontes reflorestadas. Certificado FSC.


Varnished eucalyptus wood parasol. 8 ribs (17x35mm). Pulley opening system. Without valance and with airvent. Wood from reforested sources. FSC certified.

Parasol bois d'eucalyptus verni. 8 baleines (17x35mm) Ouverture par poulie. Sans volant et avec soufflet. Bois provenant de sources reboisées. Certified FSC.



Bases - Pieds: - Pag. 182-183
FLAT - CANTO

JAVA 3



 112010 white	 103010 sand	 101010 taupe	 110010 anthracite	 102010 black
 109010 moka	 117010 navy	 115010 taupe stripe	 116010 anthracite stripe	

SIMO10O3000720P



Parasol de madera de eucalipto barnizada. 8 varillas (17x22mm). Apertura por poleas. Sin volante y con fugavientos. Madera procedentes de fuentes sostenibles. Certificado FSC. Guarda-sol de madeira de eucalipto envernizada. 8 varetas (17x22mm) Abertura por roldanas. Sem bambinela e com fugaventos. Madeira proveniente de fontes reflorestadas. Certificado FSC.

Varnished eucalyptus wood parasol. 8 ribs (17x22mm). Pulley opening system. Without valance and with airvent. Wood from reforested sources. FSC certified.

Parasol bois d'eucalyptus verni. 8 baleines (17x22mm) Ouverture par poulie. Sans volant et avec soufflet. Bois provenant de sources reboisées. Certified FSC.



Bases - Pieds: - Pag. 182-183
CUBE - FIX - FAST CLICK - ROUND - BOND - FLAT - CANTO



REF. 31P18C40000
RIO 400X4000

REF. 31P18C35000
FORMENTERA 350X350
FLEXO 300X300

REF. 31P18C30000
FORMENTERA 300X300
VIGO 300X300 - JAVA 300X300

REF. 31P18C25000
EOLO - VIGO - JAVA



+ INFO



OLEFIN

Alta solidez de los colores a la radicación UV. Se trata de un tejido fabricado con hilo de polipropileno que ha sido tintado en masa, en su proceso inicial. Esto le otorga una gran resistencia a la luz solar ya que el color queda fijado en el hilo del tejido con mayor intensidad que en otros procesos.

Certificación UV standard 801 con la puntuación UPF 80, que garantiza la protección de la piel de los efectos nocivos de los rayos UV.

Repelente al agua - resistente a las manchas - 100% reciclable.

Alta resistência das cores face à radiação UV. Sendo um tecido fabricado com fio em polipropileno tingido em massa no seu processo inicial, esta característica confere-lhe uma maior resistência à luz solar o que se deve essencialmente ao facto de a cor permanecer fixada ao fio com maior intensidade do que em outros processos de pigmentação.

Certificação UV standard 801 com factor de proteção UPF 80,

que garante a proteção da pele dos efeitos nocivos dos raios UV. Repelente à água - anti-manchas - 100% reciclável.

High resistance of colours to UV radiation. The fabric is made from polypropylene fabric mass-dyed during the initial process. This provides high resistance to sunlight because the colour is set in the thread of the fabric more intensely than in other processes.



UV standard 801 certification rating UPF 80, that guarantees skin protection against nocive effects of UV rays on the skin. Water repellent - stain resistance - 100% recyclable.

Haute résistance des couleurs face à la radiation solaire. Il s’agit ici d’une toile fabriquée à partir d’un fil en polypropylène qui a été teinté en masse, depuis son processus initial. Ceci lui confère une haute résistance à la lumière solaire, étant donné que la teinte reste fixée sur le fil avec une plus grande intensité en comparaison avec d’autres processus de pigmentation.

Certification UV standard 801 avec un factor de protection UPF 80,

qui garantit une protection de la peau face aux effets nocifs des rayons UV.

Repellente à l’eau - résistant aux tâches - 100% recyclable.



SOLUTION DYED - COLOUR FASTNESS: 7-8/8 - 100% RECYCLABLE

Disponemos de un tejido de poliéster 100% tintado en masa para pedidos con logotipo.
Temos um tecido 100% poliéster tingido em massa para pedidos com logotipo.
We have a 100% mass-dyed polyester fabric for orders with a logo.
Nous avons un tissu 100% polyester teint dans la masse pour les commandes avec logo.

SLAB (cemento/polipropileno - cemento/polipropileno - concrete/polypropylene - iment/polypropylène)

Flexo



FLEXO (hierro/cemento - ferro/cimento - iron/concrete - fer/ciment)

Flexo



CROSS (hierro/cemento - ferro/cimento - iron/concrete - fer/ciment)

Rio
Formentera



CUBE (cemento - cimento - concrete - ciment)

Eolo
Formentera
Vigo
Java 2X2
Java 3



FIX (hierro - ferro - iron - fer)

Eolo
Rio
Formentera
Vigo
Java 3



FAST CLICK (inox)



Eolo
Rio
Formentera
Vigo
Java 3


ROUND (cemento - cimento - concrete - ciment) *



Vigo
Faro
Palma
Tenerife
Ons
Toscana
Manila

MOULD (cemento/polipropileno - cemento/polipropileno - concrete/polypropylene - ciment/polypropylène) *

Eolo
Vigo
Palma



BOND (cemento/polipropileno - cemento/polipropileno - concrete/polypropylene - ciment/polypropylène)

Eolo
Formentera 3x3
Vigo
Java 3



Base de cemento con carcasa de polipropileno, tubo de acero lacado con tratamiento antióxido (cataforesis), tornillería de acero zincado y ruedas.
Base de cemento com revestimento em polipropileno, tubo em aço lacado com tratamento anti-ferrugem (cataforese), parafusos em aço zincado e com rodas.
Cement base with polypropylene casing, anti-rust treated (cataphoresis) coated steel tubing, castors and stainless steel screws.
Base en ciment revêtit de polypropylène, tube en acier laqué avec traitement antirouille (cataphorèse), vis et roues en acier zingué.



FLAT (hierro - ferro - iron - fer)

Eolo
Vigo
Java
Faro
Palma
Tenerife
Ons
Toscana
Manila



CANTO (hierro - ferro - iron - fer)

Eolo
Formentera
Vigo
Java



Cantonerías de acero inoxidable para separar la chapa del suelo.
Protectores de aço inoxidável para separar a chapa do chão.

Stainless steel corner pieces to separate sheet metal from the floor.
Extrêmités en acier inoxydable pour séparer la tôle du sol.




MO-SIE41K (kit 4 U/)
Rueda con freno - roda com travão - wheels with brake - roue avec frein.

FIT (hierro - ferro - iron - fer)


Faro
Tenerife
Ons
Toscana
Manila



POLYPROPYLENE



010X00
white



071X00
sand



028X00
pearl



027 X0 0
cappuccino



024X0 0
taupe



029X0 0
blue grey



084X00
aquamarine



0 83X0 0
ocean



026X0 0
terracota



0 91X0 0
anthracite



0 93X0 0
moka



065X00
brick



064X00
mustard



066X00
olivo

COMPACT



093K00
dark oak



092K00
oak




013K00
white marble




094K00
black marble



028K00
stone



010 K0 0
white



020 K0 0
taupe




0 91K0 0
anthracite

METAL



WHITE



SAND



TAUPE



MOKA



ANTHRACITE

OLEFIN



112010 (190g)
212020 (250g)
white



103010 (190 g)
203020 (250g)
sand



101010 (190 g)
201020 (250g)
taupe



110010 (190 g)
210020 (250 g)
anthracite




102010 (190 g)
202020 (250g)
black



10 9 010
moka



117010 (190 g)
navy



115010 (190g)
taupe stripe




116010 (190g)
anthracite stripe

PHIFERTEX®




010T11
white



020T11
taupe



0 91T 11
black



066T11
tweed olivo

NAUTIC



NAUTIC010P07
white



NAUTIC020P07
taupe

WATERPROOF



023P11
sand

POLYESTER 100% - LOGO



010 P10
white



023P10
sand



0 91P10
anthracite



090P10
black

PAD



013S01
grey



015S01
taupe

AQUA



AQUA003T00
white




AQUA001T00
beige



AQUA020T00
taupe

DRALON® (Ibiza)



844
white



807
taupe